



**PARTNER
FOR THE EXPERTS**

B+ *Horizontal-Mix Blending* SERIES

B+
SERIES

CREATE PRACTICAL VALUE WITH MECHANICAL AESTHETICS



Pulian provides various types of BS series blending machines, which are able to achieve well-mixing in general plastics. Polished and entirely made of SUS, not only artistic in appearance, but also work effectively and save cost. To meet overall industry diversity, Pulian makes blending machines suitably used for different fields of industry as well to fulfill customers' needs.

bR^{Olive Type}SERIES

普聯提供了多元性選擇的攪拌機B系列，它使用於一般塑膠料的攪拌均能快速達到均勻，節省人力，它整體不鏽鋼打造，並拋光，不管在使用上，視覺感官上，都是一種用心與感動的表現。為了因應工業提升和行業屬性要求，普聯也研發各行業專屬攪拌機，徹底解決困難攪拌問題，更為客戶帶來價值。

Characteristics

Rotating axis of blending is 45° tilting. There are two blades welded inside the barrel. There is a shaft running with reducer to make the barrel turning, which is similar to spiral turning to achieve well-mixing.

特點

攪拌機桶身傾斜45度，桶內備有兩支固定葉片，在桶子中心有一支軸與減速機結合，使桶身轉動，這個轉動使混合物產生類似螺旋翻滾的攪拌，而達到混合的效果。

MODEL	機型	BR-50	BR-100
Power	馬力	1/2 HP	1/2 HP
R.P.M	轉速	30 rpm	30 rpm
Capacity	工作量	50 kg	100 kg
Machine weight	機器重量	100 kg	120 kg
Machine size	機器尺寸	1200x900x1400 mm	1300x900x1500 mm

Olive Type 橄欖式攪拌



bs Vertical Type SERIES

Characteristics

Barrel integrated with motor reducer vertically, there are also 8 blades. When turning, blades generate turbulent mix in all directions. This is quite suitable when short-time mixing is required.

特點

攪拌桶有如一箇立式容器與減速機馬達連結，再配置八爪式葉片，轉動時以渦流式讓混合物旋轉，達成全方位的攪拌效果。對於需短時間完成攪拌的場合，是非常適合的機型。

Optional Heating Type 改裝加熱型



Optional Horizontal Type 改裝臥式型

MODEL	機型	BS-5	BS-12	BS-50	BS-100	BS-150	BS-200	BS-300
Power	馬力	2 HP	3 HP	3 HP	5 HP	7.5 HP	10 HP	15 HP
R.P.M	轉速	1400 rpm	1400 rpm	120 rpm	120 rpm	120 rpm	120 rpm	120 rpm
Capacity	工作量	5 kg	12 kg	50 kg	100 kg	150 kg	200 kg	300 kg
Machine weight	機器重量	55 kg	85 kg	190 kg	300 kg	320 kg	380 kg	520 kg
Machine size	機器尺寸	700x490x1250 mm	700x880x1250 mm	880x900x1030 mm	1060x1020x1290 mm	1200x1050x1320 mm	1200x1100x1530 mm	1350x1250x1680 mm

Vertical Type 直立式攪拌



Turbulence produced by 8 blades mixing in all directions.
8支葉片產生渦流全方位混合

High-speed power blender
高速粉末攪拌機 R.P.M3000

bs Vertical Type SERIES

Characteristics

Barrel integrated with motor reducer vertically, there are also 8 blades. When turning, blades generate turbulent mix in all directions. This is quite suitable when short-time mixing is required.

特點

攪拌桶有如一箇立式容器與減速機馬達連結，再配置八爪式葉片，轉動時以渦流式讓混合物旋轉，達成全方位的攪拌效果。對於需短時間完成攪拌的場合，是非常適合的機型。

Optional Heating Type 改裝加熱型



Optional Horizontal Type 改裝臥式型

MODEL	機型	BS-5	BS-12	BS-50	BS-100	BS-150	BS-200	BS-300
Power	馬力	2 HP	3 HP	3 HP	5 HP	7.5 HP	10 HP	15 HP
R.P.M	轉速	1400 rpm	1400 rpm	120 rpm	120 rpm	120 rpm	120 rpm	120 rpm
Capacity	工作量	5 kg	12 kg	50 kg	100 kg	150 kg	200 kg	300 kg
Machine weight	機器重量	55 kg	85 kg	190 kg	300 kg	320 kg	380 kg	520 kg
Machine size	機器尺寸	700x490x1250 mm	700x880x1250 mm	880x900x1030 mm	1060x1020x1290 mm	1200x1050x1320 mm	1200x1100x1530 mm	1350x1250x1680 mm

Vertical Type 直立式攪拌




Turbulence produced by 8 blades mixing in all directions.
8支葉片產生渦流全方位混合

High-speed power blender
高速粉末攪拌機 R.P.M3000

Horizontal Type bU SERIES

Characteristics

U-shaped barrel with left and right spiral screw blades inside. Materials in the barrel intermingle and cross mix when blades rotate. Designed specially for large volume of blending process.



Barrel Fixed Type
桶身固定型

Blade Construction
葉片構造(桶身固定式)

Barrel Fixed Type 桶身固定型

MODEL	機型	BU-200B	BU-300B	BU-500B	BU-1000B	BU-2000B	BU-3000B
Power	馬力	5 HP	7.5 HP	10 HP	15 HP	20 HP	25 HP
R.P.M	轉速	60 rpm	60 rpm	60 rpm	60 rpm	60 rpm	60 rpm
Capacity	工作量	200 kg	300 kg	500 kg	1000 kg	2000 kg	3000 kg
Machine weight	機器重量	320 kg	450 kg	600 kg	900 kg	1350 kg	1950 kg
Machine size	機器尺寸	2150x675x1350 mm	2480x825x1600 mm	2590x975x1500 mm	2820x1375x2070 mm	3800x1620x2250 mm	3890x1860x2550 mm

特點

U型滾桶設計，桶內配有左右螺旋葉片，當葉片旋轉時桶內原料會左右交叉進行混合，是針對大量混合作業而設計的。



Barrel Turning Type
桶身旋轉型




Blade Construction
葉片構造(桶身旋轉式)

Barrel Turning Type 桶身旋轉型

MODEL	機型	BU-50	BU-100	BU-200	BU-300	BU-500
Power	馬力	3 HP	5 HP	7.5 HP	10 HP	15 HP
R.P.M	轉速	60 rpm	60 rpm	60 rpm	60 rpm	60 rpm
Capacity	工作量	50 kg	100 kg	200 kg	300 kg	500 kg
Machine weight	機器重量	180 kg	280 kg	360 kg	480 kg	650 kg
Machine size	機器尺寸	915x905x1250 mm	1240x1020x1160 mm	1710x1100x1280 mm	1710x1240x1460 mm	1710x1430x1740 mm

Able to cooperate with any ways of material input
可搭配任何進料方式



Optional Oil Heating Type
改裝油溫加熱型

bV Vertical Type SERIES

Characteristics

BV series are constructed with vertical conveyor in the center of storage tank. Material will move from bottom to top through screw conveyor and sprinkle fountain-like into the tank smoothly when machines operate.



特點

在儲存桶中央搭載垂直螺旋輸送機組合而成的機器，當啟動機器時，原料會從底層透過螺旋輸送機移動到上層，如泉水湧出般，均勻分灑在桶內而達到攪拌的效果。

MODEL	機型	BV-50	BV-100	BV-500	BV-1000	BV-2000
Power	馬力	1 HP	2 HP	3 HP	5 HP	7.5 HP
R.P.M	轉速	180 rpm	180 rpm	280 rpm	280 rpm	280 rpm
Capacity	工作量	50 kg	100 kg	500 kg	1000 kg	2000 kg
Machine weight	機器重量	180 kg	260 kg	650 kg	900 kg	1100 kg
Machine size	機器尺寸	φ 550x1130 mm	φ 750x1130 mm	φ 1170x2520 mm	φ 1480x2950 mm	φ 1680x3430 mm



B+
SERIES

CREATE PRACTICAL VALUE WITH MECHANICAL AESTHETICS

BT *Sun Type* **SERIES**



Blades welded on the barrel to cause whirlpool
 (used for mixing foods, tea leaf, dried flowers, etc.)
 增加攪流葉片(適合食品類、茶葉、乾燥花...等攪拌)



Optional Rotating Type
 With two motors inside and outside the barrel
 (used for powder mixing or when well-mixing is extremely required)
 改裝內外旋轉型 (適合粉末或特別需要均勻度高的場合)

Optional Heating Type
 (used for heating process)
 改裝加熱型(適合攪拌過程中須加熱的場合)

Characteristics

Doubled-cone shaped barrel without blades. (can be installed if required) With rotating in 360°, it mixes well like waves.

特點

滾桶設計成雙錐形，桶內無攪拌葉片(也可安裝)，滾桶以25rpm，360度方式旋轉，尤如海浪翻滾般，均勻進行攪拌作業。

MODEL	機型	BT-10	BT-25	BT-50	BT-100	BT-150
Power	馬力	1/2 HP	1/2 HP	1/2 HP	1 HP	1 HP
R.P.M	轉速	25 rpm	25 rpm	25 rpm	25 rpm	25 rpm
Capacity	工作量	10 kg	25 kg	50 kg	100 kg	150 kg
Machine weight	機器重量	80 kg	95 kg	110 kg	150 kg	190 kg
Machine size	機器尺寸	730x770x1090 mm	770x770x1090 mm	860x890x1230 mm	1070x1050x1500 mm	1100x1100x1650 mm



最新產品相關資料，請連結至普聯公司網站查詢。

For updated information, please visit Pulian's website at URL