


工環
JOIN

工環
JOIN

JW series Wide Inlet Granulator

寬 廣 口 徑 碎 料 機



The expert links up plastic chemistry industry
連 結 塑 化 製 程 的 行 家

Feature

1. Wide inlet design is for large-sized materials.
2. Excellent design of cutting angle for effective potency.
3. Safety switch included.
4. Assigned bearing made in Japan for durable use.
5. Assigned knives made in Japan "Hitach" SKH-2 and SKD-11 for great performance of cutting.
6. Whole plant planning and specific design to serve and meet customers' requirement.

特點

1. 寬廣口徑設計，適合大型膨脹物粉碎。
2. 最佳切削角度設計，發揮最大效率。
3. 附有安全開關，安全有保障。
4. 採用日本原裝進口軸承，使用壽命長。
5. 採用日本日立SKH-2、SKD-11刀具材質，更能展現切削實力。
6. 整廠規劃與特殊設計，認真負責服務客戶。




JW 640 & CA 4500 輸送機

粉碎機的用途是多元性的，您可以在



加風車&太空包架
Conveyor feeding



加螺旋出料
Material discharge by screw conveyor



JW 180

JW 260

JW 350

JW 300

JW 400

JW 450



• JW系列刀軸




• CE證書
Certificate of conformity



• 專利證書
Certificate of patent




以下找到適合您的方式。 The usage of granulators is various and diverse, you may find out from the followings.




加粉塵集中器
Dust arrester




加風車&儲料桶
Blower and temporary storage tank



加側管投入
Side feeding




加防音
Silent



加防音&風車&旋風器
Silent, blower and cyclone




料斗延伸加高
Extended hopper



投入口擴大
Wide entrance



加後槽投入
Feed the scrap from the rear chute



加螺旋出料
Material discharge by screw conveyor



輸送機入料
Material discharge by screw conveyor



500 550 640



JW 800 1000 1000(B)
JW 1250 1250(B) 1500



JW 800 & 粉末分離旋風桶

JW series

Wide Inlet Granlator

Widely cutting chamber of JW series aims in huge runner of design. The characters of widely cutting chamber, small motor and big feeding hopper as well as avoid casting pollution generated. Runner size is the factor of selecting JW series. There are 16 models for on line instant recycling.

寬大口徑JW系列是針對大型料頭而設計，特性在於粉碎室寬、馬力數小、投入口大，而粉碎室皆為鋼板製作，可免除鑄件帶來破粉污染粉碎物的疑慮，對於塑膠粉碎均能輕鬆完成回收。在選擇JW系列時，可依照粉碎物大小判斷，16種機型選擇。

MODEL	機型	JW-180	JW-260	JW-350	JW-300	JW-400	JW-450	JW-500
Power	馬力(HP)	1-2	2-3	3-5	7.5-10	10-15	15-25	25-40
Inlet size	粉碎口徑(mm)	180x220	260x220	350x220	300x280	400x280	450x320	500x350
Rotating diameter	迴轉直徑(mm)	180	180	180	240	240	380	380
R.P.M	轉數(rpm)	280	280	380	420	420	560	560
Rotary cutter	迴轉刀數(pcs)	3	3	3	6	6	6	6
Stationary cutter	固定刀數(pcs)	2	2	2	2	2	2	2
Machine weight	機器重量(kg)	120	180	250	520	940	1170	1420
Machine size	機器尺寸(mm)	480x830x1140	580x830x1140	650x900x1170	660x1260x1640	760x1260x1640	1050x1580x1650	1105x1720x1700
Capacity	工作量(kg/hr)	100-200	120-250	150-250	200-300	250-400	300-500	350-600
Contents	儲料桶容量(kg)	15	20	30	50	60	70	70

JW-550	JW-640	JW-800	JW-1000	JW-1000B	JW-1250	JW-1250B	JW-1500	JW-1500B
30-40	30-50	50-75	75-100	100-125	100-125	100-125	125-150	125-150
550x480	640x480	800x500	1000x600	1000x800	1250x600	1250x800	1500x600	1500x800
380	380	480	480	650	480	650	480	650
560	560	560	680	680	680	680	680	680
6	9	9	12	12	15	15	18	18
2	2	2	2	2	2	2	2	2
1670	1920	2400	2750	3000	3100	3400	3700	4000
1150x2025x2055	1250x2025x2055	1490x2370x2710	1700x2540x2820	1750x2800x3200	1950x2560x2810	2000x2800x3200	2200x2560x2810	2250x2800x3200
400-700	500-800	700-1000	800-1100	800-1200	900-1300	900-1400	900-1500	900-1500
80	80	100	100	100	100	100	100	100

JS series


Vertical Type Blending Machine

直 立 式 攪 拌 機



..... 直立式攪拌機

MODEL	機型	JS-5	JS-12	JS-50	JS-100	JS-150	JS-200
Power	馬力	2 HP	3 HP	3 HP	5 HP	7.5 HP	10 HP
Capacity	工作量	5 kg	12 kg	50 kg	100 kg	150 kg	200 kg
R.P.M	轉速	1400 rpm	1400 rpm	120 rpm	120 rpm	120 rpm	120 rpm
Machine weight	機器重量	55 kg	85 kg	190 kg	300 kg	460 kg	580 kg
Machine size	機器尺寸	700x490x1250 mm	700x540x1250 mm	800x880x1060 mm	1030x950x1280 mm	1100x1050x1400 mm	1260x1390x1610 mm




..... 風車

Blower Specification 風車規格

MODEL	機型	AB-2	AB-3	AB-5	AB-7.5	AB-10
Power	馬力	2 HP	3 HP	5 HP	7.5 HP	10 HP
Trans.-Height	輸送高度	5 m	5 m	6 m	8 m	8 m
Trans.-Length	輸送長度	10 m	10 m	12 m	15 m	20 m
Velocity Pressure	風壓	320~380 mm Aq	350~400 mm Aq	400~450 mm Aq	500~600 mm Aq	500~600 mm Aq
Blast Volume	風量	12~15 m ³ /min	13~15 m ³ /min	15~18 m ³ /min	23~27 m ³ /min	25~28 m ³ /min
Input	入口	Φ75 mm	Φ100 mm	Φ100 mm	Φ150 mm	Φ150 mm
Output	出口	Φ75 mm	Φ100 mm	Φ100 mm	Φ150 mm	Φ150 mm
Machine Weight	機器重量	58 kg	65 kg	95 kg	135 kg	170 kg

儲料桶 & 太空包架



Store Barrel Specification 儲料桶規格

MODEL	機型	ST-50	ST-75	ST-100	ST-150	ST-200	ST-250	ST-500	ST-1000
Size Φ	尺寸 ΦA	Φ500 mm	Φ550 mm	Φ650 mm	Φ750 mm	Φ850 mm	Φ850 mm	Φ950 mm	Φ1480 mm
Size B	尺寸 B	1890 mm	2140 mm	2340 mm	2490 mm	2540 mm	2690 mm	2940 mm	3010 mm
Size C	尺寸 C	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm
Size D	尺寸 D	700 mm	800 mm	900 mm	900 mm	1100 mm	1100 mm	1300 mm	1500 mm
Contents	容量	50 kg	75 kg	100 kg	150 kg	200 kg	250 kg	500 kg	1000 kg
Material	材質	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41

Dust arrester 集塵機

MODEL	機型	SF-1	SF-2	SF-3
Power	馬力	1 HP	2 HP	3 HP
Wind air speed velocity	風速	42 m/sec	40 m/sec	45 m/sec
Wind air delivery force	風量	19.5 m ³ /min	59 m ³ /min	88 m ³ /min
C.F.M	風量	700 ft ³ /min	2000 ft ³ /min	3100 ft ³ /min
Air suction	吸風口尺寸	Φ100mm x 1	Φ100mm x 3	Φ100mm x 4
Collection bag	集塵袋尺寸	Φ350 mm	Φ610 mm	Φ610 mm
Space occupied	佔用尺寸	750x380x1850 mm	970x600x2800 mm	1680x620x2800 mm
Machine weight	機械重量	32 kg	80 kg	118 kg



集塵機

Dusty separation cyclone 粉塵分離旋風桶

MODEL	機型	SPC-1	SPC-2
Power	風車馬力	3 HP	5 HP
Cyclone contents	旋風器容量	10 kg	20 kg
Size Φ	尺寸 ΦA	Φ100 mm	Φ100 mm
Size Φ	尺寸 ΦB	Φ100 mm	Φ100 mm
Size H	尺寸 H	800 mm	800 mm
Machine size	機械尺寸	1200x600x2200 mm	1200x600x2200 mm
Machine weight	機械重量	110 kg	150 kg



粉塵分離旋風桶



最新產品相關資料，請連結至普聯公司網站查詢。

For updated information, please visit Pulian's website at URL