

Hydraulic Cutting AO-Series



The AO-series are mainly developed for cutting mass and solid hard materials such as the waste left from molding injection machine, extruder, sprue handling, PVC sheet making, PVC pipe making, or bulky waste left from manufacturing plastic material.

油壓裁斷AO系列

Hydraulic Cutting AO-Series / AO-50, 80, 100, 125

AO系列主要開發作為大量且非常硬的材料裁切成適當尺寸用，這些裁切物包括射出機、押出機料管、餘料、模頭、PVC抽板、抽管或生產塑膠粒原料所產生的大型廢料塊。

Characteristics / 特點

1. Supreme capability of cutting.
超強裁斷能力。
2. Bulk plastic or film roll can be evenly cut off.
大型塑膠塊、整捲薄膜均能強力對切。
3. Allows of equipment with mounting board for fixed-length cutting.
加裝長度調整板，可當固定長裁切機。
4. Specific mold can be equipped for various purposes, such as smoothening, bending, curving and so on.
加裝特殊模具，可當特殊用途，例如：整平、折彎、壓弧形.....等。
5. Safety gate protection design.
安全門防護罩。
6. Heat treatment mode slide.
滑座均有熱處理。




AO-50

7. Furnished with high pressure hydraulic cylinder featuring small impedance and heavy duty.
採用阻抗小、耐荷重之高壓型油壓缸。


Specification / 規格

MODEL	機型	AO-50	AO-80
Horse Power (HP)	馬力	5 HP	7.5 HP
Cutting Width	裁切寬度	600 mm	800 mm
Cutting Travel	裁切行程	500 mm	500~800 mm
Machine Weight	機器重量	800 kg	1500 kg
Machine Size	機器尺寸	900 x 600 x 2100 mm	1200 x 700 x 2300 mm

MODEL	機型	AO-100	AO-125
Horse Power (HP)	馬力	10 HP	15 HP
Cutting Width	裁切寬度	1000 mm	1250 mm
Cutting Travel	裁切行程	500~800 mm	500~800 mm
Machine Weight	機器重量	1800 kg	2500 kg
Machine Size	機器尺寸	1500 x 800 x 2400 mm	1800 x 1000 x 2400 mm




▲ For Bending
折彎



改裝成特殊用途範例

The Examples of Refitting for Specific Purposes





最新產品相關資料，請連結至普聯公司網站查詢。

For updated information,
please visit Pulian's website at URL