



PARTNER
FOR THE EXPERTS



aR *Roller-Press Conveying* SERIES



In order to satisfy the customer needs in pursuit of innovation market, Pulian innovates to satisfy the individual demand. Pulian specializes in all crusher machines for widely size of sheet material, waste, film and thermosetting edges. The operation of crusher machine takes using of auto drag unit (with adjustable roller speed) to input the material. After recycled; the crushing material to store in the cyclone. Then crusher hereby the fixed proportion to mix with the material become cabinet's recycle system. This system is easy to handle for operators and each flow path is designed to reduce the operation cost and waste yield. This machine is totally new and durable.

CREATE PRACTICAL VALUE WITH MECHANICAL AESTHETICS




aR Roller-Press Conveying SERIES

為了趕上市場革新，為了滿足個體需要，我們特別為寬面的板料、廢料、薄膜、及熱成型邊料，開發各種專職專用粉碎機。這型粉碎機運作方式是運用自動拉引進料組進料(滾輪速度是可調的)。輸送到粉碎室細碎，再透過風車運送粉碎料至旋風器儲存，藉由定量比例再與原料混合，造成小型的回收系統。這樣的回收系統是不用讓作業員費心的，且每個流程的設計都是在減少運作成本，減少廢料產生，是一種經久耐用的全新機器。

AR-300+AB-3

AR-200



Characteristics

- (1) Haul in material system has safety hanging to prevent breakdown the recycled material.
- (2) Adjustable speed of roller by frequency inverter.
- (3) Recycled material enforce the film to the auto loader and then instant recycling.
- (4) All diverse plastic extruder machine can be equipped with Pulian recycle system (Enclosed our photo as following).
- (5) Application for hydraulic machine and strip shape machine.

特點

- (1) 拉引進料系統均有安全桿，可防止拉斷粉碎物。
- (2) 滾輪速度調整均使用變頻器。
- (3) 粉碎料添加機可強制將薄膜混合到原料，內並立即回收。
- (4) 各式塑料押出機均可搭配普聯回收系統，請參考圖示。
- (5) 適用於押出機與分條機。

AR-750、AR-1000、
AR-1250



AR-300+AB-3
(dual-entrance)



AR-300+
AB-3


SPECIFICATIONS 規格

MODEL	機型	AR-200	AR-300	AR-500	AR-750	AR-1000	AR-1250
Max. Material Width	最大料寬	200 mm	300 mm	500 mm	750 mm	1000 mm	1250 mm
Max. Material Thickness	最大料厚	0.05~3 mm	0.05~3 mm	0.05~3 mm	0.05~3 mm	0.05~3 mm	0.05~3 mm
Roller Speed	滾輪速度	0~35 m/min	0~35 m/min	0~35 m/min	0~35 m/min	0~35 m/min	0~35 m/min
Power	馬力	3~5 HP	5~7.5 HP	10~15 HP	20~30 HP	30~40 HP	40~50 HP
Inlet Size	粉碎口徑	200x240 mm	300x240 mm	500x300 mm	750x300 mm	1000x300 mm	1250x300 mm
R.P.M	轉速	280/380 rpm	280/380 rpm	280/380 rpm	280/380 rpm	280/380 rpm	280/380 rpm
Rotary Cutter	迴轉刀數	3 pcs	3 pcs	6 pcs	9 pcs	12 pcs	15 pcs
Stationary Cutter	固定刀數	2 pcs	2 pcs	3 pcs	3 pcs	3 pcs	3 pcs
Machine Weight	機器重量	140 kg	180 kg	450 kg	740 kg	950 kg	1300 kg
Machine Size	機器尺寸	460x670x1090 mm	580x850x1200 mm	1500x1200x1700 mm	1600x1500x1800 mm	1600x1720x2000 mm	1750x2000x2000 mm
Capacity	工作量	120~200 kg/hr	180~350 kg/hr	350~600 kg/hr	400~650 kg/hr	400~700 kg/hr	400~800 kg/hr




Recycled Material Automatic Feeder 粉碎料添加機

MODEL	機型	AN-75
Power	最大料寬	1/2 HP
Store Barrel	最大料厚	7 kg
Size	滾輪速度	165x165 mm
Size	馬力	165x165 mm
Hose Diameter	粉碎口徑	φ75 mm
Height	轉速	215 mm




Material hopper-press type 立壓式原料桶

MODEL	機型	AN-ST-50	AN-ST-100	AN-ST-200
Power	馬力	1/2 HP	1 HP	1 HP
Store Barrel	儲料桶容量	50 kg	100 kg	200 kg
AxB	尺寸	180x160 mm	220x275 mm	250x250 mm
CxD	尺寸	φ600 mm	φ700 mm	φ950 mm
φE	管徑	φ100 mm	φ100 mm	φ100 mm
F	高度	1020 mm	1020 mm	1070 mm



Magnet box + Magnet bas 磁鐵盒 + 磁鐵座


MODEL	機型	MB-7	MB-9
Magnet Number	磁鐵數	7 支	9 支
AxB	尺寸	210x200 mm	250x250 mm
CxD	尺寸	165x165 mm	250x250 mm
φE	孔徑	φ80 mm	φ110 mm
F	高度	185 mm	185 mm



Blower AB系列

Blower Specification 風車規格

MODEL	機型	AB-2	AB-3	AB-5	AB-7.5	AB-10
Power	馬力	2 HP	3 HP	5 HP	7.5 HP	10 HP
Trans.-Height	輸送高度	5 m	5 m	6 m	8 m	8 m
Trans.-Length	輸送長度	10 m	10 m	12 m	15 m	20 m
Velocity Pressure	風壓	320~380 mm Aq	350~400 mm Aq	400~450 mm Aq	500~600 mm Aq	500~600 mm Aq
Blast Volume	風量	12~15 m ³ /min	13~15 m ³ /min	15~18 m ³ /min	23~27 m ³ /min	25~28 m ³ /min
Input	入口	φ 75 mm	φ 100 mm	φ 100 mm	φ 150 mm	φ 150 mm
Output	出口	φ 75 mm	φ 100 mm	φ 100 mm	φ 150 mm	φ 150 mm
Machine Weight	機器重量	58 kg	65 kg	95 kg	135 kg	170 kg



Store Barrel Specification 儲料桶規格

MODEL 機型	ST-50	ST-75	ST-100	ST-150	ST-200	ST-250	ST-250	ST-500	ST-1000
φA 尺寸	φ 500 mm	φ 550 mm	φ 650 mm	φ 750 mm	φ 850 mm	φ 850 mm	φ 850 mm	φ 950 mm	φ 1480 mm
B 尺寸	1890 mm	2140 mm	2340 mm	2490 mm	2540 mm	2690 mm	2690 mm	2940 mm	3010 mm
C 尺寸	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm
D 尺寸	700 mm	800 mm	900 mm	900 mm	1100 mm	1100 mm	1100 mm	1300 mm	1500 mm
Contents 容量	50 kg	75 kg	100 kg	150 kg	200 kg	250 kg	250 kg	500 kg	1000 kg
Material 材質	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41	SUS304 or SS41



最新產品相關資料，請連結至普聯公司網站查詢。

For updated information, please visit Pulian's website at URL